

STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C.

ATTORNEYS AT LAW

1100 NEW YORK AVENUE, N.W., SUITE 600
WASHINGTON, D.C. 20005-3934

(202) 371-2600

FACSIMILE: (202) 371-2540; (202) 371-6566

ROBERT GREENE STERNE
EDWARD J. KESSLER
JORGE A. GOLDSTEIN
SAMUEL L. FOX
DAVID K.S. CORNWELL
ROBERT W. ESMOND
TRACY-GENE G. DURKIN
MICHELE A. CIMBALA
MICHAEL B. RAY
ROBERT E. KOPPELERIC K. STEFFE
MICHAEL O. LEE
STEVEN R. LUDWIG
JOHN M. COVERT*
LINDA E. ALCORN
RAZ E. FLESHNER
ROBERT C. MILLONIG
MICHAEL V. MESSINGER
JUDITH U. KIM
TIMOTHY J. SHEA, JR.DONALD R. MCPHAIL
PATRICK E. GARRETT
STEPHEN G. WHITESIDE
NOEL B. WHITLEY
JEFFREY T. HELVEY*
HEIDI L. KRAUS
JEFFREY R. KURIN
RAYMOND MILLIEN
PATRICK D. O'BRIEN
BRIAN S. ROSENBLUMLAWRENCE B. BUGAISKY
CRYSTAL D. SAYLES*
EDWARD W. YEE
ALBERT L. FERRO*
DONALD R. BANOWIT*
PETER A. JACKMAN*
MOLLY A. MCCALL*
TERESA U. MEDLER*
JEFFREY S. WEAVER*DONALD J. FEATHERSTONE**
KAREN R. MARKOWICZ**
GRANT E. REED**
SUZANNE E. ZISKA**
BRIAN J. DEL BUONO**
CAMERON H. TOUSI**
VINCENT L. CAPUANO**ROBERT H. BENSON*
OF COUNSEL*BAR OTHER THAN D.C.
**REGISTERED PATENT AGENTS

AUG - 5 1999

August 5, 1999

WRITER'S DIRECT NUMBER:
(202) 789-5509Assistant Commissioner for Patents
Washington, D.C. 20231Re: U.S. Utility Patent Application
Appl. No. 09/314,889; Filed: May 19, 1999
For: **Death Domain Containing Receptors**
Inventors: Yu *et al.*
Our Ref: 1488.0310006/EKS/SGWRECEIVED
1000
99 OCT 21 AM 8:21

Sir:

Transmitted herewith for appropriate action are the following documents:

1. Request for Corrected Official Filing Receipt (*in duplicate*);
2. A photocopy of the instant Official Filing Receipt with corrections noted in red; and
3. One (1) return postcard.


It is respectfully requested that the attached postcard be stamped with the date of filing of these documents, and that it be returned to our courier. In the event that extensions of time are necessary to prevent abandonment of this patent application, then such extensions of time are hereby petitioned.

Assistant Commissioner for Patents
August 5, 1999
Page 2

The U.S. Patent and Trademark Office is hereby authorized to charge any fee deficiency, or credit any overpayment, to our Deposit Account No. 19-0036. A duplicate copy of this letter is enclosed.

Respectfully submitted,

STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C.



Stephen G. Whiteside
Attorney for Applicants
Registration No. 42,224

Enclosures

031-6.COR.OFR.TRANS.WPD
SKGF Rev. 9/23/98 dcw

RECEIVED
TECHNICAL SERVICES
99 OCT 21 AM 8:21

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Yu *et al.*

Appl. No. 09/314,889

Filed: May 19, 1999

For: **Death Domain Containing
Receptors**

Art Unit: 1643

Examiner: To be assigned

Atty. Docket: 1488.0310006/EKS/SGW

Request for Corrected Official Filing Receipt

Assistant Commissioner for Patents
Washington, D.C. 20231

Attn: Application Processing Division
Customer Correction Branch

Sir:

Applicants hereby request that a corrected Official Filing Receipt be issued and sent to the undersigned representative. Specifically, the following corrections to the Official Filing Receipt are requested:

In the CONTINUING DATA AS CLAIMED BY APPLICANT- section:

After the line "PROVISIONAL APPLICATION NO. 60/037,341 02/06/97" please delete the following:

"WHICH IS A 371 OF PCT/US96/03353 03/12/96


WHICH IS A 371 OF PCT/US96/16849 10/17/96".

In support of the above request, a photocopy of the instant Official Filing Receipt is enclosed with the corrections noted in red. It is requested that a corrected Official Filing Receipt be issued, and sent to the undersigned at the earliest possible time.

The U.S. Patent and Trademark Office is hereby authorized to charge any fee deficiency, or credit any overpayment, to our Deposit Account No. 19-0036. A duplicate copy of this pleading is enclosed.

Respectfully submitted,

Sterne, Kessler, Goldstein & Fox p.l.l.c.



Stephen G. Whiteside
Attorney for Applicants
Registration No. 42,224

Date: 8/5/99

1100 New York Avenue, N.W.
Suite 600
Washington, D.C. 20005-3934
(202) 371-2600